

Underwater Tool Considerations



Hydraulic Tools

- Hydraulic Power Unit
- We recommend food-grade, eco-friendly oil
- Maintenance: wash exterior of tool and lubricate accessories as needed



- Air Compressor
- Rear/side exhaust port or pipe exhaust away
 from the tool allows for clear view of work area
- Maintenance after use: blow water out of motor, add oil and blow out 3-4x to ensure motor is completely coated and protected from rust







Rotary Hammer Drills

Hydraulic and Pneumatic

Drill concrete anchor holes and thru holes for piping and mechanical openings



SDS Plus

Capacity: 1" with SDS Bits



SDS Max

Capacity:2" with SDS Bits



View these
Tools on
our Website



Hydraulic Portable Magnetic Drills

Manually-Operated Permanent Magnet with Ratchet Control

HB-4400

- ▶ Drilling Capacity: 1/4" to 2-1/16" dia.
- ► Motor: 1.5 HP, operates at 6 GPM at 2000 PSI
- ► 3/4" Weldon Shank or geared chuck



2 1345 Series

- Drilling Capacity: 1/4" to 4" dia.
- Tapping Capacity: 1" dia.
- Motor: 3.4 HP, operates at 8 GPM at 2000 PSI
- ➤ 3/4" Weldon Shank or geared chuck







Optional Pipe Clamp for right angle drilling of steel, cast iron, cement and plastic pipes up to 43-1/4" dia.



Air-Powered Magnetic Drill

Completely AIR-Operated Magnetic Drill NO ELECTRICITY!



AB-4300 Series

- ▶ Drilling Capacity: 1/4" to 2-1/16" dia.
- Motor: 1.6 HP, operates at 64 CFM at 90 PSI
- No-Load Speed: 400 RPM
- ▶ 3/4" Weldon Shank or geared chuck
- ➤ Fail-safe permanent magnetic is activated on/off by air pressure – if air flow is lost, the magnet will not disengage
- ► Stroke up to 10-1/4" with extended rack









Annular Cutters for Portable Drills

Large Diameter Holes up to 6" diameter, 10" deep Ideal for steel & hard metals – even through rust & paint!



View these Tools

Annular Cutters and Hole Saws

- Drill large-diameter holes in steel, stainless and hard metals with rust or paint
- ▶ Drill holes from 7/16" up to 6" dia.
- Leaves a burr-free finished hole
- Available in all sizes (fractional and metric)
- Annular cutters have 3/4" or 1-1/4" Weldon shank









Hydraulic Circular Saws

Heavy-duty for use Underwater and in Hazardous Environments



7-1/2" Diameter

- Cuts up to 2-1/2" depth at 90°, up to 1-1/2" depth at 45°
- Tool-free miter adjustment
- Cut metal, plastics, wood and more
- D-handle design with inside trigger and safety lock

12-5/8" Diameter

- ► 4-3/4" max. depth of cut
- Cut I-beams, 3/8" thick steel plate, aluminum and other metals, as well as wood, plastics and more
- D-handle design with inside trigger and safety lock









Reciprocating Saws

Cut Structural Steel, Tanks, Bolts, Pipes, Plastic and more

Hydraulic - The SHARK

- Cutting Capacity: up to 6" dia. steel pipe and channel; up to 8" dia. plastic pipe
- Motor: 2 HP, operates at 6-13 GPM at 2000 PSI



Pneumatic - The CAT

- Cutting Capacity: up to 6" dia. steel pipe and channel; up to 8" dia. plastic pipe
- Motor: 1.3 HP, operates at 46 CFM at 90 PSI – provides more power than conventional air saws



Saws accept standard Sawzall blades or heavy-duty CS United double-tang blades for straight cutting

Vise clamps for 90° cuts on pipe and channel







Portable Hacksaws

Cut Pipe, Structural Steel, Profiles and more up to 30" OD

Hydraulic

- Cutting Capacity: 2" to 30" OD
- Motor: 3.8 HP, operates at 8 GPM at 2000 PSI





Pneumatic

- ► Cutting Capacity: 2" to 30" OD
- ► Motor: 1.5 HP, operates at 51 CFM at 90 PSI
- ► Strokes per min: 100-350





View these Tools on our Website

Heavy-duty saw blades available for cutting steel, stainless steel, aluminum, plastic, wood and more

Pipe and profile clamps available for 90° cuts





Portable Band Saws

Cut up to 9" OD

Cold cut steel, stainless, Inconel, chrome, Hastelloy, iron, fiberglass, wood and more



Hydraulic

- ► Porta-Band cut up to 4" OD
- Deep Throat™ cut up to 7" OD
- Wide Mouth™ cut up to 9" OD

Pneumatic

- AirBand™ cut up to 4-3/4" OD
- Deep Throat AirBand™ cut up to 7" OD
- Wide Mouth AirBand™ cut up to 9" OD



Vise clamps available for straight cutting

Heavy-duty M42 Cobalt Steel band saw blades available







View these Tools on our Website







Hydraulic Chainsaws

5 1030 Series

- Cutting Capacity: 11" up to 40"
- Motor: 10 HP, operates at 12 GPM at 2000 PSI
- Open center system with integrated pressure control valve
- For cutting wood & plastic

ACH000 Series

- Cutting Capacity: 12", 14", 16"
- Motor: up to 6.5 HP, operates at 3-8 GPM at 2000 PSI
- Pistol grip with safety trigger lock and insulated handle for added safety
- High-torque gear motor and easy change, open/close hydraulic system







Pneumatic Chainsaws

5 1008 Series

- Cutting Capacity: up to 25" deep
- Motor: 4 HP, operates at 92 CFM at 90 PSI
- Chain guard to protect operator
- For cutting wood, polyethylene and plastic

5 1028 Series

- Cutting Capacity: up to 25"
- ▶ Motor: 4 HP, operates at 92 CFM at 90 PSI
- Chain brake for operator safety
- For cutting wood, polyethylene and plastic





Chain saws for ductile iron also available.



View Demo Videos View these Tools on our Website







Hydraulic and Pneumatic

- Cutting Capacity in Concrete: from 10" to 20" deep
- Hydraulic Motor: 11 HP, operates at 12 GPM at 2000 PSI (135 bar)
- Pneumatic Motor: 6.5 HP, operates at 124 CFM at 90 PSI (6 bar)
- Specifically designed for the demanding requirements of professional sawing and drilling contractors

Pipe cutting chain saws for ductile iron also





AIR

View Demo

View these Tools



Pipe Cutting Machines

Cut Pipe from 6" to 63" dia. with wall thickness up to 2"

Manually guided hand lever feed to make 360° cuts in pipe at 90°

Fully enclosed blade guard



- ► Hydraulic and pneumatic power
- Ideal for use on steel, cast iron, ductile iron, nonferrous metal, HDPE, plastic, concrete pipe and more
- ▶ 7" blade with adjustable cutting depth
- Carbide-tipped or diamond-coated blades
- Adjustable guide chain add and remove chain links based on pipe size
- Applications include marine, municipal, water, utilities, refineries, power generation, pipeline construction and demolition



for pipe diameters up to 16", 32" and 63"









our Website

Impact Wrenches

Tighten and Remove Bolts and Screws High Torque and Best Power-to-Weight Ratios



Hydraulic

- ▶ 3/4" and 1" square drive models
- Max bolt size: 1-3/8" (M 36)
- ► Tightening torque: up to 1840 ft-lbs.



Pneumatic

- ➤ 3/4", 1", 1-1/2" square drive models
- Max bolt size: 1-1/8" (M 30)
- Tightening torque: 3240 ft-lbs.









Pneumatic Woodboring Drills

Heavy-Duty Power for Drilling Wood in Marine Timbers and Pilings

- ▶ 3 Models available with 1", 2" and 3" dia. capacity
- Reversible
- ► 1/2" woodboring chuck
- ► Includes 1/2" NPT threaded exhaust port
- Thrust bearing support for long life and efficient operation
- Lever throttle and durable spur gearing
- Breast plate and dead handle included
- Accessories and woodboring drill bits from 3/8" dia. to 1-1/2" dia. in lengths from 12" to 36"







Diamond Core Drills

Hydraulic and Pneumatic • Hand-Held or Rig-Mounted Holes up to 12" dia. in Concrete, Reinforced Concrete & more

Hand-Held

Capacity: 3" hand-held, 6" rig-mounted


Rugged 3-speed gearbox with mechanical slip clutch

Optional anchor stand



Capacity: 12" dia.

Rugged 3-speed gearbox with mechanical slip clutch





Hydraulic Grinders





Underwater Horizontal Grinder

- Fits grinding discs up to 7-3/4" dia., as well as straight grinding wheels, carbide burrs, wire brushes, cones and plugs
- Extensions available up to 19"



Underwater Vertical Grinder

- Uses discs up to 9"
- Protective shroud rotates 360°

View these Tools on our Website



Pneumatic Needle/Chisel Scalers



Hydraulic Power Units



P95 Series

- Delivers 5 GPM or 8 GPM at 2000 PSI
- Easy to move with lift and latch handle
- ▶ 18 HP gas engine, electric and diesel engines also available





Underwater Tools

For construction, maintenance and demolition applications in and around shipyards, offshore oil, power plants and other underwater jobsites

CS Unitec, Inc.

22 Harbor Avenue, Norwalk, CT 06850 4330 Center Street, Deer Park, TX 77536 800-700-5919 • 203-853-9522

www.csunitec.com